Study ID	
Collection Date: MONTH DAY YEAR	FLIP
Collection Time:	OVER!
Please indicate all sample locations collected: ☐ Nose ☐ Armpit ☐ Groin	
Sample Time Point:	
1 Month 3 Months 6 Months 9 Months	12 Months
15 Months 21 Months 24 Months	
*If all samples were not collected at the same time please indicate new date/ti	mes
Nose/ Armpit/ Groin	/
Instructions: Collect skin swabs around the same time as the stool samples (Do N	lot Touch Swab)
Nose Swab	

- 1. Tilt baby's head back slightly and insert the one swab tip into each nostril
- 2. Rotate the swab stick slowly 5 times against inside of nostril
- 3. Using the second swab, repeat steps 2 & 3 for the second nostril

Armpit Swab

- 1. place the swabs against the skin of the armpit
- 2. Rotate the swabs against the skin slowly 5 times.
- 3. Repeat steps 2-4 on the opposite arm

Groin Swab

- 1. Place the swab in the top of the inner thigh crease and swab down towards the anus
- 2. Repeat step 2 on the opposite side
- 3. Please try not to get poop on swabs during collection

Place swabs in plastic bag, complete Specimen Collection form, and keep at Room Temperature. Email the study team to schedule a courier Pick up at themagicstudy@email.chop.edu

