

INVESTIGATIONAL DEVICE COMPASSIONATE USE CHECKLIST

Compassionate use of investigational devices may be considered in patients based upon specific criteria detailed in the Code of Federal Regulations (CFR) part 812 guidelines. The following information and checklist are intended to help investigators planning to use an investigational device under FDA compassionate use guidelines.

Definition of Compassionate Use: Use of an investigational device to diagnose, monitor or treat an individual patient or small group of patients with a serious disease or condition when there are no available alternative options.

Criteria for Investigational Device Compassionate Use:

1. The patient has a life-threatening or serious disease or condition
2. There is no comparable or satisfactory alternative therapy to diagnose, monitor or treat the disease or condition
3. Potential patient benefit justifies the potential risks of the investigational device

Depending on whether or not there is an Investigational Device Exemption (IDE) for a clinical trial for the device, there are two regulatory pathways governing compassionate use:

1. There is an IDE for the device, or
2. There is no IDE for the device.

Complete either the checklist “Under an IDE”, or the checklist “Not Under an IDE” to ensure that the essential elements of FDA compassionate use device guidelines are met.

Proposed Device Use Under an FDA IDE

The IDE Sponsor, who may be the device manufacturer or the physician who has submitted the IDE, should submit an IDE supplement to the FDA requesting approval for a compassionate use under section 812.35(a) to treat the patient. FDA must approve before proceeding with use.

The supplement should include:

• A description of the patient’s condition and circumstances requiring treatment, diagnosis or monitoring	<input type="checkbox"/> Not Done	<input checked="" type="checkbox"/> Done
• Discussion of reasons why alternative therapies are unsatisfactory	<input type="checkbox"/> Not Done	<input checked="" type="checkbox"/> Done
• Discussion of why the probable risk of using the investigational device is no greater than the probable risk from the disease or the condition	<input type="checkbox"/> Not Done	<input checked="" type="checkbox"/> Done
• Describe any deviations in the approved clinical protocol that may be needed to treat the patient	<input type="checkbox"/> Not Done	<input checked="" type="checkbox"/> Done

<ul style="list-style-type: none"> The patient protection measures that will be followed: <ol style="list-style-type: none"> Draft of the informed consent to be used Concurrence by the IRB chairperson Independent assessment by uninvolved physician Authorization from device manufacturer on the use of the device 	<input type="checkbox"/> Not Done	<input checked="" type="checkbox"/> Done
Requirement for follow-up report:		
<ul style="list-style-type: none"> <u>Follow-up report submitted by person who submitted the initial compassionate request:</u> <ol style="list-style-type: none"> Follow-up report to be submitted within 45 days of device use Report to contain summary of patient outcome Any issues arising during device usage should be addressed during follow-up report and reported to IRB 	<input type="checkbox"/> Not Done	<input checked="" type="checkbox"/> Done

Proposed Device Use NOT Under an FDA IDE

A compassionate use request for a single patient may be submitted by the physician or manufacturer with the information outlined in “The supplement should include”, above, to the FDA, along with a description of the device provided by the manufacturer, to the following address:

Food and Drug Administration
 Center for Devices and Radiological Health
 Few10903 New Hampshire Ave
 Document Control Center
 W066 Rm G-609
 Silver Spring, MD 20993

Physicians and manufactures can contact CDRHEExpandedAccess@fda.hhs.gov for assistance.

Requirements for compassionate use not under an IDE:

<ul style="list-style-type: none"> Provide confirmation that the patient will not be treated until the FDA approves use of the device under the proposed circumstances. 	<input type="checkbox"/> Not Done	<input checked="" type="checkbox"/> Done
<ul style="list-style-type: none"> Provide information that includes preliminary evidence of safety and effectiveness that justifies such use, and whether such use would interfere with the conduct of a clinical trial to support marketing approval. 	<input type="checkbox"/> Not Done	<input checked="" type="checkbox"/> Done
<ul style="list-style-type: none"> Provide an appropriate schedule for monitoring the patient, taking into consideration the investigational nature of the device and the specific needs of the patient. The patient should be monitored to detect any possible problems arising from the use of the device. 	<input type="checkbox"/> Not Done	<input checked="" type="checkbox"/> Done
Requirement for follow-up report:		

- Follow-up report submitted by person who submitted the initial compassionate request:

1. Follow-up report to be submitted within 45 days of device use
2. Report to contain summary of patient outcome
3. Any issues arising during device usage should be addressed during follow-up report and reported to IRB

Not Done

Done

Contacts for the IND/IDE Support Office

IND/IDE Support

INDIDE@chop.edu

Gregory Podsakoff

podsakoff@chop.edu

Mark Wentworth

wentworthm@chop.edu